



Side View



# RS - 12930

2.5S2U

NC - 156E





Side View



# RS - 12930

2.5S2U

NC - 156E



# RS - 12930

# 6114

Brought to you by  HTL International

## DIMENSION

Updated : 25 / 10 / 2023

| Configuration        | Width |      | Seat Width |      | Depth    |         | Seat Depth |      | Back Height |      | Seat Height |      | Weight |     | Volume         |                 |
|----------------------|-------|------|------------|------|----------|---------|------------|------|-------------|------|-------------|------|--------|-----|----------------|-----------------|
|                      | cm    | inch | cm         | inch | cm       | inch    | cm         | inch | cm          | inch | cm          | inch | kg     | lb  | m <sup>3</sup> | ft <sup>3</sup> |
| 2.5S2U, 2.5S2UA      | 196   | 77   | 148        | 58   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 108    | 238 | 1.94           | 68.51           |
| 2.5S2US, 2.5S2USA    | 180   | 71   | 132        | 52   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 104    | 230 | 1.78           | 62.92           |
| 2S2UA                | 152   | 60   | 104        | 41   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 86     | 190 | 1.50           | 53.13           |
| 1S1U                 | 94    | 37   | 46         | 18   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 55     | 122 | 0.93           | 32.86           |
| 2.5EL1USA, 2.5ER1USA | 164   | 65   | 140        | 55   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 73     | 161 | 1.62           | 57.33           |
| 1.5EL1U, 1.5ER1U     | 98    | 39   | 74         | 29   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 54     | 119 | 0.97           | 34.26           |
| 1.25EL1U, 1.25ER1U   | 90    | 35   | 66         | 26   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 52     | 115 | 0.89           | 31.46           |
| 1EL1U, 1ER1U         | 76    | 30   | 52         | 20   | 98 - 155 | 39 - 61 | 56         | 22   | 101         | 40   | 46          | 18   | 43     | 95  | 0.75           | 26.57           |
| 1.5NA                | 82    | 32   | 82         | 32   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 24     | 53  | 0.81           | 28.66           |
| 1.25NA               | 74    | 29   | 74         | 29   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 21     | 47  | 0.73           | 25.87           |
| 1NA                  | 59    | 23   | 59         | 23   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 15     | 34  | 0.58           | 20.62           |
| 45EL, 45ER           | 148   | 58   | 72         | 28   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 50     | 111 | 1.46           | 51.73           |
| 2.5ELS, 2.5ERS       | 164   | 65   | 140        | 55   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 60     | 133 | 1.62           | 57.33           |
| 1.5EL, 1.5ER         | 98    | 39   | 74         | 29   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 36     | 80  | 0.97           | 34.26           |
| 1.25EL, 1.25ER       | 90    | 35   | 66         | 26   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 33     | 73  | 0.89           | 31.46           |
| SQC                  | 108   | 43   | -          | -    | 108      | 43      | -          | -    | 101         | 40   | 46          | 18   | 48     | 106 | 1.18           | 41.60           |
| 2.5S                 | 196   | 77   | 148        | 58   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 70     | 155 | 1.94           | 68.51           |
| 2.5SS                | 180   | 71   | 132        | 52   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 66     | 146 | 1.78           | 62.92           |
| 2S                   | 152   | 60   | 104        | 41   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 58     | 128 | 1.50           | 53.13           |
| AC                   | 94    | 37   | 46         | 18   | 98       | 39      | 56         | 22   | 101         | 40   | 46          | 18   | 41     | 91  | 0.93           | 32.86           |

## CONSTRUCTION

- ⇒ **SEAT** : No-sag Spring
- ⇒ **BACK REST** : Rubber Webbing
- ⇒ **SEAT CUSHION** : D/38S + D/29 + Inner Coil
- ⇒ **BACK REST CUSHION** : 100% Loose Fibre
- ⇒ **SOFA LEGS** :

Main legs code : MLG-1482-35L



Support legs code : MLG-1597-23L / MLG-1598-23L /  
MLG-1790-23L / MLG-1791-23L /  
MLG-1510-23L / MLG-1316-23L /  
MLG-181-23L

material : Metal

height : 140mm (MLG-1482-35L)  
217mm (MLG-1597 / 1598-23L)  
110mm (MLG-1790 / 1791-23L)  
130mm (MLG-1510-23L)  
100-150mm (MLG-1316-23L)  
111.5mm (MLG-181-23L)

colour : 35 = Titanium gun smoke color /  
23 = Matte Black

\* Available in **ELECTRIC (V)**, **ELECTRIC with USB Port (U)**  
Versions



COMBINATIONS

